








REVISION




FIRST PLATFORM




SECOND PLATFORM




TANK TOP



TANK ARRANGEMENT





INBOARD PROFILE




SUPERSTRUCTURE DECK

NAVIGATION DECK




REV-2552-1-3







INBOARD PROFILE




NAVIGATION DECK



TOP OF HOUSE



UPPER DECK



MAIN DECK

| FUEL OIL TANKS & FUEL OIL SETTLING TANKS |                   |                      |                   |                       |                    |                          |                 |                 |                 |
|------------------------------------------|-------------------|----------------------|-------------------|-----------------------|--------------------|--------------------------|-----------------|-----------------|-----------------|
| TANK NO.                                 | LOCATION (FRAMES) | 80% CAPACITY GALLONS | 80% CAPACITY TONS | FULL CAPACITY GALLONS | FULL CAPACITY TONS | VERT. CTR. OF GRAV. FEET | LONG. C.V. FEET | WIDE. C.V. FEET | WIDE. C.V. FEET |
| FUEL OIL TANKS                           |                   |                      |                   |                       |                    |                          |                 |                 |                 |
| A-901F                                   | 12-27(8)          | 12,480               | 48.0              | 15,120                | 57.6               | 3.15                     | 10.65           | 11.76           | 11.76           |
| A-902HF                                  | 27-40(9)          | 9,500                | 35.9              | 9,800                 | 36.7               | 2.17                     | 11.33           | 11.76           | 11.76           |
| A-903F                                   | 27-40(9)          | 9,800                | 35.9              | 10,400                | 39.5               | 2.17                     | 12.76           | 11.76           | 11.76           |
| A-904F                                   | 40-56(8)          | 10,030               | 38.3              | 19,620                | 77.1               | 1.54                     | 9.17            | 11.76           | 11.76           |
| A-905F                                   | 40-56(8)          | 9,040                | 33.8              | 9,230                 | 34.4               | 1.70                     | 10.37           | 11.76           | 11.76           |
| A-906F                                   | 40-56(8)          | 9,040                | 33.8              | 9,930                 | 34.4               | 1.70                     | 10.37           | 11.76           | 11.76           |
| A-907F                                   | 56-68(8)          | 11,240               | 42.6              | 11,820                | 42.7               | 1.54                     | 9.17            | 11.76           | 11.76           |
| A-908F                                   | 56-68(8)          | 10,160               | 38.7              | 10,700                | 38.8               | 1.59                     | 9.44            | 11.76           | 11.76           |
| A-909F                                   | 56-68(8)          | 10,160               | 38.7              | 10,700                | 38.8               | 1.59                     | 9.44            | 11.76           | 11.76           |
| B-901F                                   | 68-83(8)          | 13,940               | 52.3              | 14,670                | 53.0               | 1.54                     | 9.17            | 11.76           | 11.76           |
| B-902HF                                  | 68-83(8)          | 14,200               | 53.8              | 14,980                | 54.0               | 1.59                     | 12.30           | 11.76           | 11.76           |
| B-903F                                   | 68-83(8)          | 14,270               | 53.8              | 15,020                | 54.2               | 1.59                     | 12.30           | 11.76           | 11.76           |
| A-909HF                                  | 94-108(8)         | 15,040               | 57.1              | 15,730                | 58.6               | 1.54                     | 9.16            | 11.76           | 40.64           |
| B-910F                                   | 94-108(8)         | 12,750               | 48.0              | 13,420                | 48.6               | 1.62                     | 10.16           | 11.76           | 40.16           |
| B-911HF                                  | 94-108(8)         | 12,740               | 48.0              | 13,410                | 48.4               | 1.62                     | 10.30           | 11.76           | 40.30           |
| C-901F                                   | 108-124(8)        | 18,650               | 68.4              | 19,550                | 72.0               | 2.04                     | 7.80            | 11.76           | 78.08           |
| C-902HF                                  | 108-124(8)        | 15,120               | 56.8              | 15,620                | 46.1               | 2.27                     | 11.30           | 11.76           | 11.30           |
| C-903F                                   | 108-124(8)        | 12,100               | 45.7              | 12,740                | 48.0               | 2.27                     | 7.70            | 11.76           | 77.30           |
| C-404F                                   | 124-159(6)        | 21,410               | 77.3              | 22,540                | 81.4               | 6.40                     | 11.40           | 11.76           | 111.40          |
| C-2F                                     | 124-159(6)        | 20,900               | 75.5              | 22,000                | 79.4               | 7.56                     | 11.01           | 11.76           | 110.51          |
| C-3F                                     | 124-159(6)        | 20,900               | 75.5              | 22,000                | 79.4               | 7.56                     | 11.01           | 11.76           | 110.51          |
| C-405F                                   | 159-146(6)        | 25,960               | 93.7              | 27,550                | 98.7               | 7.45                     | 15.79           | 11.76           | 157.99          |
| C-406F                                   | 159-146(6)        | 7,350                | 26.8              | 7,710                 | 27.8               | 9.44                     | 10.59           | 11.76           | 10.59           |
| C-407F                                   | 159-146(6)        | 7,350                | 26.8              | 7,710                 | 27.8               | 9.44                     | 10.59           | 11.76           | 10.59           |
| C-500HF                                  | 146-105(8)        | 16,210               | 59.6              | 16,210                | 58.5               | 11.41                    | 16.28           | 11.76           | 16.28           |
| C-4F                                     | 146-186(9)        | 14,560               | 55.0              | 15,120                | 54.6               | 17.38                    | 16.09           | 11.76           | 161.09          |
| C-5F                                     | 146-186(9)        | 14,560               | 55.0              | 15,120                | 54.6               | 17.38                    | 16.09           | 11.76           | 161.09          |
| TOTAL                                    |                   | 566,270              | 209.7             | 587,850               | 1400.3             |                          |                 |                 |                 |
| FUEL OIL SETTLING TANKS                  |                   |                      |                   |                       |                    |                          |                 |                 |                 |
| B-1-5F                                   | 79-91(8)          | 60,000               | 22.6              | 64,700                | 30.6               | 16.05                    | 6.77            |                 |                 |
| B-1-5F                                   | 81-83(8)          | 62,100               | 23.1              | 66,400                | 31.2               | 16.05                    | 11.76           |                 |                 |
| B-3-2F                                   | 104-104(8)        | 50,000               | 29.1              | 54,000                | 30.4               | 16.36                    |                 |                 | 50.77           |
| B-3-4F                                   | 108-108(8)        | 82,000               | 29.9              | 87,300                | 31.5               | 16.35                    |                 |                 | 56.77           |
| TOTAL                                    |                   | 326,100              | 117.7             | 348,200               | 123.9              |                          |                 |                 |                 |



| OIL SETTLING TANKS |       |               |       |          |       |              |  |       |  |
|--------------------|-------|---------------|-------|----------|-------|--------------|--|-------|--|
| CAPACITY           |       | FULL CAPACITY |       | VERTICAL |       | LONGITUDINAL |  | TOTAL |  |
| GALLONS            |       | GALLONS       |       | FEET     |       | FEET         |  | FEET  |  |
| NO. 1              |       | NO. 2         |       | NO. 3    |       | NO. 4        |  | NO. 5 |  |
| 2400               | 24.0  | 15120         | 151.2 | 47.4     | 3.15  | 106.47       |  |       |  |
| 2500               | 25.0  | 15840         | 158.4 | 49.7     | 3.27  | 112.36       |  |       |  |
| 2600               | 26.0  | 16560         | 165.6 | 51.9     | 3.39  | 118.25       |  |       |  |
| 2700               | 27.0  | 17280         | 172.8 | 54.2     | 3.51  | 124.14       |  |       |  |
| 2800               | 28.0  | 18000         | 180.0 | 56.4     | 3.63  | 130.03       |  |       |  |
| 2900               | 29.0  | 18720         | 187.2 | 58.7     | 3.75  | 135.92       |  |       |  |
| 3000               | 30.0  | 19440         | 194.4 | 60.9     | 3.87  | 141.81       |  |       |  |
| 3100               | 31.0  | 20160         | 201.6 | 63.2     | 3.99  | 147.70       |  |       |  |
| 3200               | 32.0  | 20880         | 208.8 | 65.4     | 4.11  | 153.59       |  |       |  |
| 3300               | 33.0  | 21600         | 216.0 | 67.7     | 4.23  | 159.48       |  |       |  |
| 3400               | 34.0  | 22320         | 223.2 | 69.9     | 4.35  | 165.37       |  |       |  |
| 3500               | 35.0  | 23040         | 230.4 | 72.2     | 4.47  | 171.26       |  |       |  |
| 3600               | 36.0  | 23760         | 237.6 | 74.4     | 4.59  | 177.15       |  |       |  |
| 3700               | 37.0  | 24480         | 244.8 | 76.7     | 4.71  | 183.04       |  |       |  |
| 3800               | 38.0  | 25200         | 252.0 | 78.9     | 4.83  | 188.93       |  |       |  |
| 3900               | 39.0  | 25920         | 259.2 | 81.2     | 4.95  | 194.82       |  |       |  |
| 4000               | 40.0  | 26640         | 266.4 | 83.4     | 5.07  | 200.71       |  |       |  |
| 4100               | 41.0  | 27360         | 273.6 | 85.7     | 5.19  | 206.60       |  |       |  |
| 4200               | 42.0  | 28080         | 280.8 | 87.9     | 5.31  | 212.49       |  |       |  |
| 4300               | 43.0  | 28800         | 288.0 | 90.2     | 5.43  | 218.38       |  |       |  |
| 4400               | 44.0  | 29520         | 295.2 | 92.4     | 5.55  | 224.27       |  |       |  |
| 4500               | 45.0  | 30240         | 302.4 | 94.7     | 5.67  | 230.16       |  |       |  |
| 4600               | 46.0  | 30960         | 309.6 | 96.9     | 5.79  | 236.05       |  |       |  |
| 4700               | 47.0  | 31680         | 316.8 | 99.2     | 5.91  | 241.94       |  |       |  |
| 4800               | 48.0  | 32400         | 324.0 | 101.4    | 6.03  | 247.83       |  |       |  |
| 4900               | 49.0  | 33120         | 331.2 | 103.7    | 6.15  | 253.72       |  |       |  |
| 5000               | 50.0  | 33840         | 338.4 | 105.9    | 6.27  | 259.61       |  |       |  |
| 5100               | 51.0  | 34560         | 345.6 | 108.2    | 6.39  | 265.50       |  |       |  |
| 5200               | 52.0  | 35280         | 352.8 | 110.4    | 6.51  | 271.39       |  |       |  |
| 5300               | 53.0  | 36000         | 360.0 | 112.7    | 6.63  | 277.28       |  |       |  |
| 5400               | 54.0  | 36720         | 367.2 | 114.9    | 6.75  | 283.17       |  |       |  |
| 5500               | 55.0  | 37440         | 374.4 | 117.2    | 6.87  | 289.06       |  |       |  |
| 5600               | 56.0  | 38160         | 381.6 | 119.4    | 6.99  | 294.95       |  |       |  |
| 5700               | 57.0  | 38880         | 388.8 | 121.7    | 7.11  | 300.84       |  |       |  |
| 5800               | 58.0  | 39600         | 396.0 | 123.9    | 7.23  | 306.73       |  |       |  |
| 5900               | 59.0  | 40320         | 403.2 | 126.2    | 7.35  | 312.62       |  |       |  |
| 6000               | 60.0  | 41040         | 410.4 | 128.4    | 7.47  | 318.51       |  |       |  |
| 6100               | 61.0  | 41760         | 417.6 | 130.7    | 7.59  | 324.40       |  |       |  |
| 6200               | 62.0  | 42480         | 424.8 | 132.9    | 7.71  | 330.29       |  |       |  |
| 6300               | 63.0  | 43200         | 432.0 | 135.2    | 7.83  | 336.18       |  |       |  |
| 6400               | 64.0  | 43920         | 439.2 | 137.4    | 7.95  | 342.07       |  |       |  |
| 6500               | 65.0  | 44640         | 446.4 | 139.7    | 8.07  | 347.96       |  |       |  |
| 6600               | 66.0  | 45360         | 453.6 | 141.9    | 8.19  | 353.85       |  |       |  |
| 6700               | 67.0  | 46080         | 460.8 | 144.2    | 8.31  | 359.74       |  |       |  |
| 6800               | 68.0  | 46800         | 468.0 | 146.4    | 8.43  | 365.63       |  |       |  |
| 6900               | 69.0  | 47520         | 475.2 | 148.7    | 8.55  | 371.52       |  |       |  |
| 7000               | 70.0  | 48240         | 482.4 | 150.9    | 8.67  | 377.41       |  |       |  |
| 7100               | 71.0  | 48960         | 489.6 | 153.2    | 8.79  | 383.30       |  |       |  |
| 7200               | 72.0  | 49680         | 496.8 | 155.4    | 8.91  | 389.19       |  |       |  |
| 7300               | 73.0  | 50400         | 504.0 | 157.7    | 9.03  | 395.08       |  |       |  |
| 7400               | 74.0  | 51120         | 511.2 | 159.9    | 9.15  | 400.97       |  |       |  |
| 7500               | 75.0  | 51840         | 518.4 | 162.2    | 9.27  | 406.86       |  |       |  |
| 7600               | 76.0  | 52560         | 525.6 | 164.4    | 9.39  | 412.75       |  |       |  |
| 7700               | 77.0  | 53280         | 532.8 | 166.7    | 9.51  | 418.64       |  |       |  |
| 7800               | 78.0  | 54000         | 540.0 | 168.9    | 9.63  | 424.53       |  |       |  |
| 7900               | 79.0  | 54720         | 547.2 | 171.2    | 9.75  | 430.42       |  |       |  |
| 8000               | 80.0  | 55440         | 554.4 | 173.4    | 9.87  | 436.31       |  |       |  |
| 8100               | 81.0  | 56160         | 561.6 | 175.7    | 9.99  | 442.20       |  |       |  |
| 8200               | 82.0  | 56880         | 568.8 | 177.9    | 10.11 | 448.09       |  |       |  |
| 8300               | 83.0  | 57600         | 576.0 | 180.2    | 10.23 | 453.98       |  |       |  |
| 8400               | 84.0  | 58320         | 583.2 | 182.4    | 10.35 | 459.87       |  |       |  |
| 8500               | 85.0  | 59040         | 590.4 | 184.7    | 10.47 | 465.76       |  |       |  |
| 8600               | 86.0  | 59760         | 597.6 | 186.9    | 10.59 | 471.65       |  |       |  |
| 8700               | 87.0  | 60480         | 604.8 | 189.2    | 10.71 | 477.54       |  |       |  |
| 8800               | 88.0  | 61200         | 612.0 | 191.4    | 10.83 | 483.43       |  |       |  |
| 8900               | 89.0  | 61920         | 619.2 | 193.7    | 10.95 | 489.32       |  |       |  |
| 9000               | 90.0  | 62640         | 626.4 | 195.9    | 11.07 | 495.21       |  |       |  |
| 9100               | 91.0  | 63360         | 633.6 | 198.2    | 11.19 | 501.10       |  |       |  |
| 9200               | 92.0  | 64080         | 640.8 | 200.4    | 11.31 | 506.99       |  |       |  |
| 9300               | 93.0  | 64800         | 648.0 | 202.7    | 11.43 | 512.88       |  |       |  |
| 9400               | 94.0  | 65520         | 655.2 | 204.9    | 11.55 | 518.77       |  |       |  |
| 9500               | 95.0  | 66240         | 662.4 | 207.2    | 11.67 | 524.66       |  |       |  |
| 9600               | 96.0  | 66960         | 669.6 | 209.4    | 11.79 | 530.55       |  |       |  |
| 9700               | 97.0  | 67680         | 676.8 | 211.7    | 11.91 | 536.44       |  |       |  |
| 9800               | 98.0  | 68400         | 684.0 | 213.9    | 12.03 | 542.33       |  |       |  |
| 9900               | 99.0  | 69120         | 691.2 | 216.2    | 12.15 | 548.22       |  |       |  |
| 10000              | 100.0 | 69840         | 698.4 | 218.4    | 12.27 | 554.11       |  |       |  |

| FRESH WATER & SALT WATER BALLAST TANKS |       |               |      |          |  |              |  |       |  |
|----------------------------------------|-------|---------------|------|----------|--|--------------|--|-------|--|
| CAPACITY                               |       | FULL CAPACITY |      | VERTICAL |  | LONGITUDINAL |  | TOTAL |  |
| GALLONS                                |       | GALLONS       |      | FEET     |  | FEET         |  | FEET  |  |
| NO. 1                                  |       | NO. 2         |      | NO. 3    |  | NO. 4        |  | NO. 5 |  |
| 8940                                   | 89.4  | 54.2          | 542  | 1.56     |  |              |  | 9.50  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 27260                                  | 272.6 | 101.5         | 1015 |          |  |              |  |       |  |

| FRESH WATER & SALT WATER BALLAST TANKS |       |               |      |          |  |              |  |       |  |
|----------------------------------------|-------|---------------|------|----------|--|--------------|--|-------|--|
| CAPACITY                               |       | FULL CAPACITY |      | VERTICAL |  | LONGITUDINAL |  | TOTAL |  |
| GALLONS                                |       | GALLONS       |      | FEET     |  | FEET         |  | FEET  |  |
| NO. 1                                  |       | NO. 2         |      | NO. 3    |  | NO. 4        |  | NO. 5 |  |
| 8940                                   | 89.4  | 54.2          | 542  | 1.56     |  |              |  | 9.50  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 27260                                  | 272.6 | 101.5         | 1015 |          |  |              |  |       |  |

| FRESH WATER & SALT WATER BALLAST TANKS |       |               |      |          |  |              |  |       |  |
|----------------------------------------|-------|---------------|------|----------|--|--------------|--|-------|--|
| CAPACITY                               |       | FULL CAPACITY |      | VERTICAL |  | LONGITUDINAL |  | TOTAL |  |
| GALLONS                                |       | GALLONS       |      | FEET     |  | FEET         |  | FEET  |  |
| NO. 1                                  |       | NO. 2         |      | NO. 3    |  | NO. 4        |  | NO. 5 |  |
| 8940                                   | 89.4  | 54.2          | 542  | 1.56     |  |              |  | 9.50  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 27260                                  | 272.6 | 101.5         | 1015 |          |  |              |  |       |  |

| FRESH WATER & SALT WATER BALLAST TANKS |       |               |      |          |  |              |  |       |  |
|----------------------------------------|-------|---------------|------|----------|--|--------------|--|-------|--|
| CAPACITY                               |       | FULL CAPACITY |      | VERTICAL |  | LONGITUDINAL |  | TOTAL |  |
| GALLONS                                |       | GALLONS       |      | FEET     |  | FEET         |  | FEET  |  |
| NO. 1                                  |       | NO. 2         |      | NO. 3    |  | NO. 4        |  | NO. 5 |  |
| 8940                                   | 89.4  | 54.2          | 542  | 1.56     |  |              |  | 9.50  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 9150                                   | 91.5  | 54.9          | 549  | 1.58     |  |              |  | 9.56  |  |
| 27260                                  | 272.6 | 101.5         | 1015 |          |  |              |  |       |  |

| GENERAL CARGO |  |                  |  |                   |  |           |  |                     |  |
|---------------|--|------------------|--|-------------------|--|-----------|--|---------------------|--|
| COMPT. NO.    |  | SPACE            |  | LOCATION (FRAMES) |  | DECK      |  | SALE VOLUME CU. FT. |  |
| A-3A          |  | NO. 1 CARGO HOLD |  | 40-56 P&S         |  | TANKTOP   |  | 30780               |  |
| A-3A          |  | NO. 1 CARGO HOLD |  | 40-56 P&S         |  | 1ST PLAT. |  | 18380               |  |
| C-1A          |  | NO. 2 CARGO HOLD |  | 108-124 P&S       |  | 2ND PLAT. |  | 37320               |  |
| C-4016A       |  | GASOLINE STORAGE |  | 108-124 P&S       |  | TANKTOP   |  | 8640                |  |
| C-3A          |  | NO. 3 CARGO HOLD |  | 135-146 P&S       |  | 2ND PLAT. |  | 10430               |  |
| C-3A          |  | NO. 3 CARGO HOLD |  | 135-146 P&S       |  | 1ST PLAT. |  | 10670               |  |
| TOTAL         |  |                  |  |                   |  |           |  | 116440              |  |

| S.D. STORES |             |                   |           |                     |               |          |                         |  |  |
|-------------|-------------|-------------------|-----------|---------------------|---------------|----------|-------------------------|--|--|
| COMPT. NO.  | SPACE       | LOCATION (FRAMES) | DECK      | SALE VOLUME CU. FT. | LONG C.N. FWD | C.N. AFT | VERTICAL HEIGHT OF BULK |  |  |
| A-301A      | S.D. STORES | 12-27 P&S         | 2ND PLAT. | 2630                | 156.40        |          | 15.41                   |  |  |
| A-303A      | S.D. STORES | 27-40 P&S         | 2ND PLAT. | 10050               | 128.76        |          | 11.33                   |  |  |
| A-401A      | S.D. STORES | 12-27 P&S         | TANKTOP   | 3920                | 462.34        |          | 18.13                   |  |  |
| A-403A      | S.D. STORES | 27-40 P&S         | TANKTOP   | 7470                | 12009         |          | 9.28                    |  |  |
| B-302-1A    | S.D. STORES | 83-93 E           | 3RD PLAT. | 3990                |               | 8.38     | 15.60                   |  |  |
| C-303-1A    | S.D. STORES | 147-151 S         | 1ST PLAT. | 730                 |               | 198.55   | 26.60                   |  |  |
| C-305A      | S.D. STORES | 124-150 B         | 2ND PLAT. | 2620                |               | 100.15   | 16.04                   |  |  |
| A-202A      | S.D. STORES | 17-27 P&S         | 1ST PLAT. | 5500                | 102.83        |          | 20.36                   |  |  |
| C-402A      | S.D. STORES | 108-124 S         | P TANKTOP | 3580                |               |          | 7.56                    |  |  |
| C-403A      | S.D. STORES | 108-124 S         | TANKTOP   | 3580                |               | 76.85    | 7.56                    |  |  |
|             |             |                   |           | TOTAL               | 44570         |          |                         |  |  |